Listing des produits : Access POINT WIFI / Wifi RANGE extender

2000030142	Xiaomi WiFi Amplifier Pro 300Mbps WiFi Smart Extender Router with 2x2 EU	15.62 € HTVA 18.9 € TVAC
2000030142	Xiaomi WiFi Amplifier Pro 300Mbps WiFi Smart Extender Router with 2x2 EU	15.62 € HTVA 18.9 € TVAC
2000021884	TP-LINK RE305 - WALL PLUGED Répéteur Wi-Fi AC1200 Access Point, Range Extende 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1x Ethernet 100Mbps ***Description** : TP-LINK RE305 V3 netwerkextender Netwerkzender Wit 10, 100 Mbit/s :*	28.84 € HTVA 34.9 € TVAC
2000021884	TP-LINK RE305 - WALL PLUGED Répéteur Wi-Fi AC1200 Access Point, Range Extende 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1x Ethernet 100Mbps ***Description** : TP-Link RE305 prolongateur réseau Répéteur réseau Blanc 10, 100 Mbit/s :*	28.84 € HTVA 34.9 € TVAC
2000030195	ASUS RP-AC51 SIGNAL REPEATER ACESS POINT Wi-Fi AC 750 Mbps Dual band ***Description** : ASUS RP-AC51 Répéteur réseau 733 Mbit/s Blanc :*	32.15 € HTVA 38.9 € TVAC
2000030195	ASUS RP-AC51 SIGNAL REPEATER ACESS POINT Wi-Fi AC 750 Mbps Dual band ***Description** : ASUS RP-AC51 Netwerkrepeater 733 Mbit/s Wit :*	32.15 € HTVA 38.9 € TVAC
2000007221	AVM Fritz! Wlan Repeater N/G ,WIFI N Dual Band ,WPS, Sortie SPDIF/Jack pour transfère audio Hi-Fi ***Description** : AVM FRITZ!WLAN Repeater N/G Netwerkrepeater 300 Mbit/s Zwart : FRITZ!WLAN Repeater N/G International Edition **FRITZ!WLAN Repeater N/G Overzicht** Met de FRITZ!WLAN Repeater kan het bereik van elk draadloos netwerk met een druk op de knop worden vergroot. Hierbij maakt het niet uit welke WLAN-router of -standaard er wordt gebruikt. Met zijn audio-uitgang en geïntegreerde FM-minizender kan de FRITZ!WLAN Repeater ook muziek verzenden naar uw stereosysteem en FM-radio. - Vergroot het bereik van uw draadloze netwerk snel en gemakkelijk - Compacte bouw, kan op praktisch elk stopcontact worden gebruikt - Eenvoudige installatie met een druk op de knop - Verzendt muziek (opgeslagen op pc of webradio) naar een stereosysteem - Verzendt muziek via FM naar standaardradio's - Muziekweergave via repeater op afstand bedienen met pc of smartphone - Internetradio op de repeater installeren en op het display comfortabel een ander station kiezen - Bovendien kan dankzij de geïntegreerde FM-minizender elke in de handel verkrijgbare radio podcasts, MP3's en webradiostations weergeven*	32.23 € HTVA 39 € TVAC
2000007221	AVM Fritz! Wlan Repeater N/G ,WIFI N Dual Band ,WPS, Sortie SPDIF/Jack pour transfère audio Hi-Fi ***Description** : FRITZ! WLAN Repeater N/G Répéteur réseau 300 Mbit/s Noir :*	32.23 € HTVA 39 € TVAC
2000038767	TP-LINK DECO E4 1 PACK WIFI 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) mesh 2x Ethernet 100Mbps ***Description** : TP-Link Deco E4 (1-pack) Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Blanc, Gris Interne :*	32.98 € HTVA 39.9 € TVAC
2000038767	TP-LINK DECO E4 1 PACK WIFI 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) mesh 2x Ethernet 100Mbps	32.98 € HTVA 39.9 € TVAC
2000029985	ASUS RP-AC53 ACESS POINT Sans Fil - signal/ACESS POINT /pont média REPEATER Wi-Fi AC 733 Mbps Dual band (AC433 + N300) + 1 port Fast Ethernet ***Description** : ASUS RP-AC53 433 Mbit/s Blanc :*	41.24 € HTVA 49.9 € TVAC
2000029985	ASUS RP-AC53 ACESS POINT Sans Fil - signal/ACESS POINT /pont média REPEATER Wi-Fi AC 733 Mbps Dual band (AC433 + N300) + 1 port Fast Ethernet ***Description** : ASUS RP-AC53 433 Mbit/s Wit :*	41.24 € HTVA 49.9 € TVAC
2000029897	TP-Link RE505X -WALL PLUGED Range Extender Repeteur Wifi 6 AX 1500 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) ***Description** : TP-Link RE505X prolongateur réseau Émetteur et récepteur réseau Blanc 10, 100, 1000 Mbit/s :*	45.37 € HTVA 54.9 € TVAC

Listing des produits : Access POINT WIFI / Wifi RANGE extender

2000029897	TP-Link RE505X -WALL PLUGED Range Extender Repeteur Wifi 6 AX 1500 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) ***Description*** *: TP-Link RE505X Netwerkrepeater Wit 10, 100, 1000 Mbit/s : AX1500 WI-FI RANGE EXTENDER, WLAN 802.11a/b/g/n/ac/ax, Gigabit Ethernet, 10W* ***Geavanceerde wifi 6*** *Met de nieuwste wifi-technologie heb je niet langer last van lag, eindeloos laden en een slechte wifi-ontvangst. Geniet van de toekomst van snellere netwerken en meer verbindingen.* ***Wifi 6 in alle hoeken van het huis*** *De RE505X verbindt draadloos met je router en versterkt het wifi 6-signaal in je huis zodat je overal waar je maar wilt je favoriete serie kunt bingewatchen.* ***Adaptieve padselectie*** *Met adaptieve padselectie blijft je netwerk snel doordat automatisch het snelste verbindingspad naar je router wordt gekozen.* ***Hoge snelheidsmodus*** *Maak gebruik van beide wifi-banden om supersnelle verbindingen op te zetten die geschikt zijn voor het streamen van HD-beelden en gamen.* ***Ingebouwde accesspoint-modus*** *RE505X is meer dan een draadloze range extender. Sluit simpelweg een ethernetkabel aan op de ethernetpoort om de bedrade verbinding om te zetten in een supersnel, draadloos dual-band signaal.* ***TP-Link OneMesh*** *Met OneMesh kun je eenvoudig een mesh-netwerk opzetten met maar één wifi-naam om in het hele huis een goede dekking te krijgen. Sluit gewoon een OneMeshTM-range extender aan op een OneMesh-router. Daarna hoef je nooit meer te zoeken naar een stabiele verbinding.* ***Bediening binnen handbereik*** *Installeer en beheer jouw wifi, de TP-Link-routers en -range extenders met je smartphone (Android, iOS) via de Tether app.*	45.37 € HTVA 54.9 € TVAC
2000019213	ZYXEL WRE6505 - Range extender AC750 dualband range ***Description*** *: Zyxel WRE6505 AC750 Range extender Netwerkzender & -ontvanger Wit : Wireless AC750 Range Extender - Expanding dual-band concurrent wireless coverage of the existing 802.11 a/b/g/n/ac networks easily* *- Dual-band technology with “Speed/Range Boost” delivers advanced performance* *- Compact wall-mount design for convenient placement* *- Signal strength LED light indicates the best installation location* *- Stylish brand-new design* ***Easily Expanding Home Wireless Coverage with Dual-Band Technology*** *ZyXEL’s WRE6505 Wireless AC750 Range Extender provides wireless coverage throughout your home. Just plug the unit into a power outlet, and LED lights will indicate signal strength so you can place it on the optimum spot. The one-click Wi-Fi Protected Setup (WPS) setup simplified installation while a built-in Ethernet port provides instant network connection to multiple wired devices.* ***Expand wireless coverage easily*** *The ZyXEL WRE6505 extends and broadens your 802.11 a/b/g/n/ac wireless network coverage by eliminating dead spots for whole-home coverage. It allows you to enjoy the fastest video streaming, gaming and Web browsing on tablets, laptops or smartphones anywhere in the house, and it’s backward compatible with all your current 802.11 a/b/g/n routers and access points.* ***Dual-band technology with “Speed/Range Boost” for advanced performance*** *The “Speed Boost” and “Range Boost” modes of the ZyXEL WRE6505 help establishing interference-free, optimal throughput as well as coverage. Choose the “Range Boost” mode for maximum wireless coverage or “Speed Boost” mode to prioritize speed over coverage.* ***Compliant with 802.11ac with dual-band concurrent wireless*** *The ZyXEL WRE6505 is backward compatible with all your current 802.11 a/b/g/n routers and access points; and it helps to transmit signals using the less-crowded 5 GHz band for smooth streaming and low latency for games.* ***Compact wall-mount design for convenient deployment*** *The ZyXEL WRE6505 has been designed to allow flexible deployment, giving you the best wireless coverage and performance while eliminating the unsightly wires. Additionally, the device offers LED of three colors (red-good/amber-better/green-best) to indicate the signal strength for optimal Wi-Fi coverage. You can install it at the location with the strongest wireless signal to extend wireless coverage and enjoy your high-speed*	46.26 € HTVA 55.98 € TVAC

Listing des produits : Access POINT WIFI / Wifi RANGE extender

	wireless network throughout your home in minutes.	
2000019213	ZYXEL WRE6505 - Range extender AC750 dualband range ***Description** : Zyxel WRE6505 AC750 Range extender Émetteur et récepteur réseau Blanc :*	46.26 € HTVA 55.98 € TVAC
2000038773	TP-LINK RE605X ACESS POINT BRIDGE RANGE EXTEnDER 2,4GHz, 5GHz (band 1), 5GHz (band 2) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax ***Description** : TP-Link RE605X prolongateur réseau Répéteur réseau Blanc 10, 100, 1000 Mbit/s :*	52.81 € HTVA 63.9 € TVAC
2000038773	TP-LINK RE605X ACESS POINT BRIDGE RANGE EXTEnDER 2,4GHz, 5GHz (band 1), 5GHz (band 2) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax	52.81 € HTVA 63.9 € TVAC
2000023324	TP-LINK EAP225 - Access Point Wi-Fi AC1350 Mbps (Dual Band) PoE Gigabit - Plafonnier ***Description** : TP-LINK EAP225 draadloze router Dual-band (2.4 GHz / 5 GHz) Gigabit Ethernet Wit : Gigabit Ethernet, 2.4GHz-5GHz, 802.11ac/n/g/b/a, 867Mbps, White - Simultaneous 300Mbps on 2.4GHz and 867Mbps on 5GHz totals 1200Mbps Wi-Fi speeds - Free EAP Controller Software lets administrators easily manage hundreds of EAPs - Support Power over Ethernet(802.3af) for convenient and affordable installation - Captive portal provides a convenient method for guest authentication - Band Steering Automatically moves dual band devices onto the wider 5GHz band for faster connections*	57.77 € HTVA 69.9 € TVAC
2000023324	TP-LINK EAP225 - Access Point Wi-Fi AC1350 Mbps (Dual Band) PoE Gigabit - Plafonnier ***Description** : TP-Link Omada EAP225 point d'accès réseaux locaux sans fil 1350 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE) :*	57.77 € HTVA 69.9 € TVAC
2000040802	TP-LINK X50-OUTDOOR TP-Link Deco WiFi 6 Mesh AX3000Mbps Outdoor Routeur Deco X50-Outdoor, Couverture de 230?	65.29 € HTVA 79 € TVAC
2000040802	TP-LINK X50-OUTDOOR TP-Link Deco WiFi 6 Mesh AX3000Mbps Outdoor Routeur Deco X50-Outdoor, Couverture de 230?	65.29 € HTVA 79 € TVAC
2000034126	TP-Link EAP615-WALL AX1800 Wall-Plate Dual-Band Wi-Fi 6 AP ***Description** : TP-Link Omada EAP615-WALL point d'accès réseaux locaux sans fil 1774 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE) :*	66.08 € HTVA 79.96 € TVAC
2000034126	TP-Link EAP615-WALL AX1800 Wall-Plate Dual-Band Wi-Fi 6 AP	66.08 € HTVA 79.96 € TVAC
2000039595	TP-LINK X50 OUTDOOR 1 PCS ax3000 mesh wifi Routeur sans fil Dual-Band Wi-Fi 6 AX3000 (AX2402 + AX574) Mesh avec 3 ports LAN/WAN Gigabit Ethernet ***Description** : TP-Link Deco X50-Outdoor Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Blanc 1 Interne :*	68.51 € HTVA 82.9 € TVAC
2000039595	TP-LINK X50 OUTDOOR 1 PCS ax3000 mesh wifi Routeur sans fil Dual-Band Wi-Fi 6 AX3000 (AX2402 + AX574) Mesh avec 3 ports LAN/WAN Gigabit Ethernet	68.51 € HTVA 82.9 € TVAC
2000037843	TP-LINK OMADA EAP650 WALL V1 ACESS POINT WIFI 6 CLOUD MANAGER ETHERNET WIFI BLUETOOTH POE ***Description** : TP-Link Omada EAP650-Wall 3000 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE) :*	70.25 € HTVA 85 € TVAC
2000037843	TP-LINK OMADA EAP650 WALL V1 ACESS POINT WIFI 6 CLOUD MANAGER ETHERNET WIFI BLUETOOTH POE	70.25 € HTVA 85 € TVAC
2000030288	TP-LINK EAP225 Outdoor - Access Point Point d'accès Wi-Fi AC Dual Band 1200 Mbps (N300 + AC867) PoE Gigabit ***Description** : TP-Link Omada EAP225-Outdoor 1200 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE) :*	70.65 € HTVA 85.48 € TVAC
2000030288	TP-LINK EAP225 Outdoor - Access Point Point d'accès Wi-Fi AC Dual Band 1200 Mbps	70.65 € HTVA

Listing des produits : Access POINT WIFI / Wifi RANGE extender

	(N300 + AC867) PoE Gigabit ***Description** : TP-LINK EAP225-Outdoor 1200 Mbit/s Wit Power over Ethernet (PoE) :*	85.48 € TVAC
2000036756	ASUS ZENWIFI AX MINI XD4 MESH BLACK WIFI ROUTEUR XD4R Wi-Fi 6 AX1800 (AX574 + AX1201) MU-MIMO avec 2 ports LAN 1 Gbps + satellite XD4N Wi-Fi 6 AX1800 (AX574 + AX1201) MU-MIM	73.55 € HTVA 89 € TVAC
2000036756	ASUS ZENWIFI AX MINI XD4 MESH BLACK WIFI ROUTEUR XD4R Wi-Fi 6 AX1800 (AX574 + AX1201) MU-MIMO avec 2 ports LAN 1 Gbps + satellite XD4N Wi-Fi 6 AX1800 (AX574 + AX1201) MU-MIM	73.55 € HTVA 89 € TVAC
2000028978	TP-LINK Deco E4-3P - AC1200 - Solution Wifi Mesh - 3 pack ***Description** : TP-Link Deco E4 (3-pack) Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Blanc, Gris 2 Interne :*	79.26 € HTVA 95.9 € TVAC
2000028978	TP-LINK Deco E4-3P - AC1200 - Solution Wifi Mesh - 3 pack	79.26 € HTVA 95.9 € TVAC
2000039596	TP-LINK DECO X50 POE 1P AX3000 WHOLE HOME MESH SYSTEM WIFI 6 ***Description** : TP-Link DECO X50-POE(1-PACK) système Wi-Fi maillé Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Blanc 2 Interne :*	81.74 € HTVA 98.9 € TVAC
2000039596	TP-LINK DECO X50 POE 1P AX3000 WHOLE HOME MESH SYSTEM WIFI 6	81.74 € HTVA 98.9 € TVAC
2000039592	TP-LINK Deco P9-2p - AC1200 + CPL AV 1000 - Solution Wifi Mesh - 2 pack ***Description** : TP-Link Deco P9 (2-pack) Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Blanc Interne :*	99.09 € HTVA 119.9 € TVAC
2000039592	TP-LINK Deco P9-2p - AC1200 + CPL AV 1000 - Solution Wifi Mesh - 2 pack	99.09 € HTVA 119.9 € TVAC
2000030194	ASUS RP-AC87 WIFI REPEATER DUAL BAND AC2600 UP TO 2534 MBPS 4 ANTENNA ***Description** : ASUS RP-AC87 Répéteur réseau 2534 Mbit/s Blanc :*	123.88 € HTVA 149.9 € TVAC
2000030194	ASUS RP-AC87 WIFI REPEATER DUAL BAND AC2600 UP TO 2534 MBPS 4 ANTENNA ***Description** : ASUS RP-AC87 Netwerkrepeater 2534 Mbit/s Wit :*	123.88 € HTVA 149.9 € TVAC
2000031990	TPL-DECOP9-3P AC1200 + AV1000 Whole Home Hybrid Mesh Wi-Fi System (3pcs) ***Description** : TP-Link Deco P9 (3-pack) Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Blanc 2 Interne :*	139.67 € HTVA 169 € TVAC
2000031990	TPL-DECOP9-3P AC1200 + AV1000 Whole Home Hybrid Mesh Wi-Fi System (3pcs) ***Description** : TP-Link Deco P9 (3-pack) Dual-band (2.4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Wit 2 Intern :*	139.67 € HTVA 169 € TVAC
2000033064	Ubiquiti Amplifi Gaming Wifi - included 2 Mesh points - AFIGEU ***Description** : AmpliFi HD Gamer's Edition Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) Noir 5 :*	147.93 € HTVA 179 € TVAC
2000033064	Ubiquiti Amplifi Gaming Wifi - included 2 Mesh points - AFIGEU	147.93 € HTVA 179 € TVAC
2000022816	Cisco WAP361-E-K9 - Wireless AC/N Dual Wall Plate AP ***Description** : Cisco WIRELESS-AC/N DUAL RADIO WALL 867 Mbit/s Wit Power over Ethernet (PoE) :*	158 € HTVA 191.18 € TVAC
2000022816	Cisco WAP361-E-K9 - Wireless AC/N Dual Wall Plate AP ***Description** : Cisco WIRELESS-AC/N DUAL RADIO WALL 1200 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE) :*	158 € HTVA 191.18 € TVAC
2000030973	TP-LINK EAP660HD Wireless Dual Band Eap660 Hd Gigabit Ceiling Mount Access Point Ax360 ***Description** : TP-Link Omada EAP660 HD point d'accès réseaux locaux sans fil 2402 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE) :*	172.73 € HTVA 209 € TVAC

Listing des produits : Access POINT WIFI / Wifi RANGE extender

2000030973	TP-LINK EAP660HD Wireless Dual Band Eap660 Hd Gigabit Ceiling Mount Access Point Ax360	172.73 € HTVA 209 € TVAC
2000038772	TP-LINK DECO X50 5G 1 PACK 4G (intern SIM), 5G (intern SIM) 4G (intern SIM), 5G (intern SIM) 1X NODE MESH 1x RJ-45 (WAN/LAN 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi ***Description*** *: TP-Link Deco X50-5G Bi-bande (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Blanc 3 Interne :*	205.79 € HTVA 249 € TVAC
2000038772	TP-LINK DECO X50 5G 1 PACK 4G (intern SIM), 5G (intern SIM) 4G (intern SIM), 5G (intern SIM) 1X NODE MESH 1x RJ-45 (WAN/LAN 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi	205.79 € HTVA 249 € TVAC
2000010780	HP E-MSM430 acess point dual radio 802.11N AP/WW J9651A ***Description*** *: Hewlett Packard Enterprise E -MSM430 Dual Radio 802.11n (AM) 1000 Mbit/s Power over Ethernet (PoE) : HP E-MSM430 Dual Radio 802.11n Access Point (AM) This highest-performing family of access points improves productivity and is the first in the industry to offer three spatial stream MIMO technology, bringing IEEE 802.11n near Gigabit Ethernet performance to 900 Mbps and enhancing coverage areas with beamforming technology. These APs deliver the highest performance in 802.11n AP technology in the market today with the best price and performance in the industry. Each dual radio 802.11n access point operates in the 2.4 GHz and 5 GHz bands, providing backward compatibility for IEEE 802.11a/b/g legacy technologies. These APs can operate with or without a wireless controller and support all the same enterprise features as the prior HP E-series MSM wireless products, in addition to new features, such as beamforming, bandsteering, and concurrent 5 GHz operation. The E-MSM466 access point also supports a range of indoor and outdoor MIMO antennas.* ***Quality of Service (QoS)*** *• IEEE 802.1p prioritization: delivers data to devices based on the priority and type of traffic* ***Intrusion detection/prevention system (IDS/IPS)*** *• Protection against rogue IEEE 802.11a/b/g/n access points and wireless clients: HP RF Manager and MSM415 RF Security Sensors continuously scan for detection, classification, and prevention of wireless threats on IEEE 802.11a/b/g and 802.11n wireless networks* ***Connectivity*** *• IEEE 802.3af Power over Ethernet (PoE) support: simplifies deployment and dramatically reduces installation costs by helping to eliminate the time and cost involved in supplying local power at each access point location* ***Mobility*** *• Three spatial stream MIMO technology: - The latest in Wi-Fi technology allows for 450 Mbps of signaling per radio. - More than a 50% increase in performance over any two spatial stream product.* ***Security*** *• Choice of IEEE 802.11i, Wi-Fi Protected Access 2 (WPA2), or WPA: locks out unauthorized wireless access by authenticating users prior to granting network access; robust Advanced Encryption Standard (AES) or Temporal Key Integrity Protocol (TKIP) encryption secures the data integrity of wireless traffic* ***Warranty and support*** *• Lifetime warranty: for as long as you own the product with advance replacement and next-business-day delivery (available in most countries)**	239.67 € HTVA 290 € TVAC
2000010780	HP E-MSM430 acess point dual radio 802.11N AP/WW J9651A ***Description*** *: HPE E -MSM430 Dual Radio 802.11n (AM) 1000 Mbit/s Connexion Ethernet, supportant l'alimentation via ce port (PoE) : HP E-MSM430 Dual Radio 802.11n Access Point (AM) Cette famille de points d'accès aux performances les plus élevées*	239.67 € HTVA 290 € TVAC

Listing des produits : Access POINT WIFI / Wifi RANGE extender

	améliore la productivité et est la première de l'industrie à offrir la technologie à trois flux spatiaux MIMO, rapprochant IEEE 802.11n des performances Gigabit Ethernet jusqu'à 900 Mbps et améliorant les zones de couverture avec la technologie de formation de faisceau. Ces points d'accès offrent les performances les plus élevées pour la technologie de point d'accès 802.11n sur le marché actuel avec les prix et les performances optimales de l'industrie. Chaque point d'accès radio double 802.11n fonctionne avec les bandes 2,4 GHz et 5 GHz, fournissant une compatibilité descendante pour les technologies héritées IEEE 802.11a/b/g. Ces points d'accès peuvent fonctionner avec ou sans contrôleur sans fil et prennent également en charge toutes les fonctionnalités d'entreprise comme les précédents produits sans fil MSN de la gamme E de HP le faisaient, en plus des nouvelles fonctionnalités, telles que la formation de faisceau, la direction de bande et le fonctionnement 5 GHz en simultané. Le point d'accès E-MSM466 prend également en charge une gamme d'antennes MIMO d'intérieur et d'extérieur. ***Qualité de service (QoS)*** *• Hiérarchisation IEEE 802.1p : envoie les données vers les équipements en fonction de leur priorité et du type de trafic* ***Système de détection/prévention des intrusions (IDS/IPS)*** *• Protection contre les points d'accès et les clients sans fil IEEE 802.11a/b/g/n non conformes : les capteurs de sécurité MSM415 RF et HP RF Manager effectuent en permanence des analyses pour détecter, classifier et empêcher les menaces sans fil sur les réseaux sans fil IEEE 802.11a/b/g et 802.11n* ***Connecteurs*** *• Prise en charge IEEE 802.3af Power over Ethernet (PoE) : simplifie le déploiement et réduit considérablement les coûts d'installation en supprimant le temps et les coûts liés à la fourniture d'une alimentation électrique locale pour chaque point d'accès* ***Mobilité*** *• Technologie de trois flux spatiaux MIMO : - La technologie Wi-Fi la plus récente permet une transmission par radio de 450 Mbps. - Plus de 50 % d'augmentation des performances par rapport à n'importe quel produit à deux flux spatiaux.* ***Sécurité*** *• IEEE 802.11i, WPA2 (Wi-Fi Protected Access 2) ou WPA au choix : empêche l'accès sans fil non autorisé en authentifiant les utilisateurs avant d'autoriser l'accès au réseau ; le puissant système de chiffrement AES (Advanced Encryption Standard) ou TKIP (Temporal Key Integrity Protocol) protège l'intégrité des données du trafic sans fil* ***Garantie et assistance*** *• Garantie à vie : remplacement anticipé et livraison le jour ouvrable suivant pendant toute la durée de possession du produit (dans la plupart des pays)**|	
2000017488	D-LINK DWC-1000 wireless controller - support 12 Access points ***Description** : D-Link DWC-1000 dispositif de gestion de réseau Ethernet/LAN Wifi :*	247.11 € HTVA 299 € TVAC
2000017488	D-LINK DWC-1000 wireless controller - support 12 Access points ***Description** : D-Link DWC-1000 netwerk management device Ethernet LAN Wi-Fi :*	247.11 € HTVA 299 € TVAC

Listing des produits : Access POINT WIFI / Wifi RANGE extender

2000009086	HP J9350B msm313 acess point wifi J9350b ***Description*** *: HPE E MSM313 Connexion Ethernet, supportant l'alimentation via ce port (PoE) : HP ProCurve MSM313 WW Access Point Les points d'accès HP ProCurve MSM313 et MSM323 intègrent un point d'accès et un contrôleur de mobilité multi-services aux fonctionnalités complètes dans un seul appareil clé en main. Ils permettent de créer des services d'accès Internet (hotspot) faciles à utiliser pour public/invités. L'interface de service zéro configuration s'adapte aux paramètres de configuration du périphérique client. La gestion de la bande passante crée des tiers de services multiples et permet aux utilisateurs d'accéder sans problème à la bande passante. Les points d'accès offrent un service AAA (authentification utilisateur sécurisée, autorisation et comptabilité) qui permet une large gamme de modèles de services gratuits ou payants. Ils prennent en charge la connexion HTML et IEEE 802.1X et fournissent des interfaces de gestion AAA centralisée, un portail captif et des fonctions de facturation pour le déploiement de vastes réseaux multi-sites.* ***Mobilité*** *• La simplicité du tout-en-un : Les points d'accès HP ProCurve MSM313 et MSM323 combinent un point d'accès multi-services complet et un contrôleur multi-services dans un seul boîtier facile à déployer parfaitement adapté aux réseaux publics hotspot et aux déploiements de petites entreprises.* ***Connectivity*** *• Auto-MDIX: automatically adjusts for straight-through or crossover cables on all 10/100 ports* ***Mobility*** *• All-in-one simplicity: The HP ProCurve MSM313 and MSM323 Access Points combine a full-featured multiservice access point and multiservice controller in a single easy-to-deploy enclosure that is ideally suited for public hotspot networks and small enterprise deployments.* ***Security*** *• Choice of IEEE 802.11i, Wi-Fi Protected Access 2 (WPA2), or WPA: locks out unauthorized wireless access by authenticating users prior to granting network access; robust Advanced Encryption Standard (AES) or Temporal Key Integrity Protocol (TKIP) encryption secures the data integrity of the wireless traffic* ***Quality of Service (QoS)*** *• IEEE 802.1p prioritization: delivers data to devices based on the priority and type of traffic* ***Warranty and support*** *• ProCurve Lifetime Warranty: for as long as you own the product, with next-business-day advance replacement (available in most countries).*	412.4 € HTVA 499 € TVAC
2000009086	HP J9350B msm313 acess point wifi J9350b ***Description*** *: Hewlett Packard Enterprise E MSM313 WLAN toegangspunt Power over Ethernet (PoE) : HP ProCurve MSM313 WW Access Point HP ProCurve MSM313 en MSM323 Access Points combineren een volwaardig MultiService Mobility Access Point en*	412.4 € HTVA 499 € TVAC

Listing des produits : Access POINT WIFI / Wifi RANGE extender

een MultiService Mobility controller in één gebruiksklaar apparaat. Ze worden gebruikt voor het creëren van openbare/gasttoegangsservices voor het internet (hotspot). De service-interface zonder configuratie past zich aan de configuratie-instellingen van het clientapparaat aan. Bandbreedtebeheer creëert verschillende servicelagen en biedt gebruikers een goede toegang tot bandbreedte. De access points bieden veilige gebruikersauthenticatie, autorisatie en accounting (AAA) ter ondersteuning van tal van kosteloze of betaalde servicemodellen. Ze ondersteunen HTML en IEEE 802.1X login en bieden interfaces voor gecentraliseerde AAA, eigen portalen en facturering om grote netwerken met meerdere locaties mogelijk te maken.

Mobiliteit

• Alles-in-één eenvoud: De HP ProCurve MSM313 en MSM323 Access Points combineren een volwaardig multi-service access point en een multi-service controller in één gemakkelijk te implementeren behuizing die ideaal is voor openbare hotspot-netwerken en kleine enterprise-implementaties.

Connectivity

• Auto-MDIX: automatically adjusts for straight-through or crossover cables on all 10/100 ports

Mobility

• All-in-one simplicity: The HP ProCurve MSM313 and MSM323 Access Points combine a full-featured multiservice access point and multiservice controller in a single easy-to-deploy enclosure that is ideally suited for public hotspot networks and small enterprise deployments.

Security

• Choice of IEEE 802.11i, Wi-Fi Protected Access 2 (WPA2), or WPA: locks out unauthorized wireless access by authenticating users prior to granting network access; robust Advanced Encryption Standard (AES) or Temporal Key Integrity Protocol (TKIP) encryption secures the data integrity of the wireless traffic

Quality of Service (QoS)

• IEEE 802.1p prioritization: delivers data to devices based on the priority and type of traffic

Warranty and support

• ProCurve Lifetime Warranty: for as long as you own the product, with next-business-day advance replacement (available in most countries).